



| <b>Partij</b> | <b>Omschrijving.</b>                        | <b>Cert.</b> | <b>M3</b> | <b>Reis.</b> | <b>150</b> | <b>180</b> | <b>210</b> | <b>240</b> | <b>270</b> | <b>300</b> | <b>330</b> | <b>360</b> | <b>390</b> | <b>400</b> | <b>420</b> | <b>450</b> | <b>480</b> | <b>500</b> | <b>510</b> | <b>540</b> | <b>570</b> | <b>600</b> |
|---------------|---|--------------|-----------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 82114         | Vuren 22 x 75 mm Zaagvallend                | FSC MC       | 41,081    | 8206         | 0          | 0          | 0          | 0          | 0          | 1248       | 2496       | 0          | 0          | 0          | 0          | 624        | 0          | 624        | 1248       | 0          | 0          |            |
| 82143         | Vuren 22 x 75 mm Zaagvallend                | FSC MC       | 79,382    | 8207         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 1248       | 1248       | 0          | 0          | 624        | 1872       | 0          | 1872       | 1248       | 1872       | 0          |
| 466           | Vuren 22 x 75 mm Zaagvallend+Sexta          | FSC MC       | 3,441     | 466          | 0          | 0          | 0          | 0          | 0          | 0          | 632        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 549           | Vuren 22 x 75 mm Zaagvallend+Sexta          | FSC MC       | 18,233    | 549          | 0          | 0          | 0          | 0          | 630        | 0          | 1258       | 0          | 0          | 0          | 0          | 625        | 497        | 0          | 0          | 0          | 0          | 0          |
| 610           | Vuren 22 x 75 mm Zaagvallend+Sexta          | FSC MC       | 15,461    | 610          | 0          | 0          | 0          | 598        | 0          | 1259       | 1260       | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 444           | Vuren 22 x 100 mm O/S                       | FSC MC       | 45,256    | 444          | 0          | 0          | 0          | 0          | 0          | 537        | 1399       | 1032       | 538        | 0          | 966        | 518        | 0          | 0          | 0          | 0          | 0          | 0          |
| 593           | Vuren 22 x 100 mm O/S                       | 80PEFC       | 9,309     | 593          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 1085       | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 954           | Vuren 22 x 100 mm O/S                       | FSC MC       | 19,388    | 954          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 1632       | 0          | 0          |
| 204           | Vuren 22 x 100 mm Zaagvallend               | FSC MC       | 24,027    | 204          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 2022       | 0          | 506        | 0          | 0          | 0          | 0          | 0          |
| 450           | Vuren 22 x 100 mm Zaagvallend               | FSC MC       | 29,085    | 450          | 0          | 0          | 0          | 0          | 0          | 0          | 528        | 528        | 0          | 0          | 0          | 0          | 1054       | 0          | 528        | 338        | 0          | 0          |
| 82039         | Vuren 22 x 100 mm Zaagvallend               | FSC MC       | 30,096    | 8203         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 2400       | 0          |
| 82113         | Vuren 22 x 100 mm Zaagvallend               | FSC MC       | 36,115    | 8206         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 2880       | 0          |
| 153           | Vuren 22 x 100 mm Zaagvallend+Sexta         | FSC MC       | 25,954    | 153          | 0          | 0          | 0          | 0          | 0          | 0          | 356        | 505        | 506        | 0          | 506        | 506        | 506        | 0          | 0          | 0          | 0          | 0          |
| 154           | Vuren 22 x 100 mm Zaagvallend+Sexta         | FSC MC       | 5,104     | 154          | 0          | 0          | 0          | 0          | 0          | 0          | 495        | 0          | 176        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 315           | Vuren 22 x 100 mm Zaagvallend+Sexta         | 100PEFC      | 22,603    | 315          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 1363       | 1011       | 0          | 0          | 0          | 0          | 0          | 0          |
| 786           | Vuren 22 x 100 mm Zaagvallend+Sexta         | FSC MC       | 5,788     | 786          | 0          | 0          | 0          | 0          | 0          | 877        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 220           | Vuren 22 x 100 mm Sexta                     | FSC MC       | 8,954     | 220          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 969        | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 147           | Schaalboards 22 x 100 mm excl. halvr. Vuren | 80PEFC       | 24,130    | 147          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 987        | 0          | 494        | 0          | 0          | 0          | 989        | 0          | 0          | 0          |
| 422           | Schaalboards 22 x 100 mm excl. halvr. Vuren | 80PEFC       | 50,906    | 422          | 0          | 0          | 0          | 0          | 0          | 990        | 987        | 1483       | 495        | 0          | 0          | 494        | 495        | 0          | 989        | 0          | 0          | 0          |
| 530           | Vuren 22 x 125 mm O/S                       | 80PEFC       | 21,320    | 530          | 0          | 0          | 0          | 0          | 0          | 0          | 432        | 0          | 755        | 0          | 0          | 338        | 0          | 0          | 365        | 0          | 0          | 0          |
| 430           | Vuren 22 x 125 mm Zaagvallend               | FSC MC       | 44,891    | 430          | 0          | 0          | 0          | 0          | 0          | 392        | 392        | 392        | 390        | 0          | 784        | 391        | 392        | 0          | 782        | 0          | 0          | 0          |
| 81086         | Vuren 22 x 125 mm Zaagvallend               | FSC MC       | 38,333    | 8107         | 0          | 0          | 0          | 0          | 0          | 384        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 1152       | 1152       | 0          |
| 81186         | Vuren 22 x 125 mm Zaagvallend               | FSC MC       | 50,213    | 8203         | 0          | 0          | 192        | 384        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 1920       | 1152       | 0          |
| 82112         | Vuren 22 x 125 mm Zaagvallend               | FSC MC       | 19,008    | 8206         | 0          | 0          | 0          | 0          | 0          | 384        | 0          | 384        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 384        | 0          | 384        |
| 833           | Vuren 22 x 125 mm Sexta                     | FSC MC       | 33,806    | 833          | 0          | 0          | 0          | 311        | 241        | 0          | 183        | 260        | 423        | 0          | 692        | 0          | 775        | 0          | 0          | 200        | 0          | 0          |
| 1192          | Schaalboards 22 x 125 mm incl. halvr. Vuren | 100PEFC      | 23,074    | 1192         | 0          | 0          | 0          | 0          | 736        | 0          | 0          | 0          | 0          | 0          | 736        | 736        | 0          | 0          | 0          | 0          | 0          | 0          |
| 402           | Schaalboards 22 x 125 mm incl. halvr. Vuren | FSC MC       | 44,664    | 402          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 368        | 0          | 0          | 0          | 368        | 0          | 0          | 368        | 1767       | 0          | 307        |
| 506           | Schaalboards 22 x 125 mm incl. halvr. Vuren | FSC MC       | 43,930    | 506          | 0          | 0          | 0          | 0          | 0          | 155        | 368        | 985        | 231        | 0          | 366        | 265        | 264        | 0          | 368        | 736        | 0          | 0          |
| 748           | Vuren 22 x 150 mm O/S                       | 100PEFC      | 28,870    | 748          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 329        | 0          | 329        | 1001       | 329        | 0          | 0          | 0          | 0          | 0          |
| 992           | Vuren 22 x 150 mm O/S                       | FSC MC       | 15,546    | 992          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 681        | 343        | 0          | 0          | 0          | 0          | 0          |

**DSB**  
Houtimport Kuhn B.V.

22-5-2023

| <b>Partij</b> | <b>Omschrijving.</b>                        | <b>Cert.</b> | <b>M3</b> | <b>Reis.</b> | <b>150</b> | <b>180</b> | <b>210</b> | <b>240</b> | <b>270</b> | <b>300</b> | <b>330</b> | <b>360</b> | <b>390</b> | <b>400</b> | <b>420</b> | <b>450</b> | <b>480</b> | <b>500</b> | <b>510</b> | <b>540</b> | <b>570</b> | <b>600</b> |
|---------------|---|--------------|-----------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 434           | Vuren 22 x 150 mm Zaagvallend               | FSC MC       | 50,342    | 434          | 0          | 0          | 0          | 0          | 176        | 0          | 0          | 0          | 653        | 0          | 0          | 0          | 1180       | 0          | 561        | 332        | 336        | 0          |
| 450           | Vuren 22 x 150 mm Zaagvallend               | FSC MC       | 21,803    | 450          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 171        | 0          | 218        | 0          | 671        | 0          | 0          | 334        | 0          | 0          |
| 495           | Vuren 22 x 150 mm Zaagvallend               | 100PEFC      | 14,393    | 495          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 236        | 0          | 0          | 0          | 0          | 0          | 325        | 0          |
| 496           | Vuren 22 x 150 mm Zaagvallend               | 100PEFC      | 5,874     | 496          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 349        | 0          | 0          | 0          |
| 608           | Vuren 22 x 150 mm Zaagvallend               | FSC MC       | 12,751    | 608          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 644        |
| 82110         | Vuren 22 x 150 mm Zaagvallend               | FSC MC       | 39,917    | 8206         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 2016       |
| C-231         | Grenen 22 x 150 mm Zaagvallend I-V          | FSC100       | 19,355    | C-231        | 0          | 0          | 0          | 0          | 0          | 0          | 189        | 0          | 1344       | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| C-286         | Grenen 22 x 150 mm Zaagvallend I-V          | FSC100       | 51,559    | C-286        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 336        | 3696       | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| C-300         | Grenen 22 x 150 mm Zaagvallend I-V          | FSC100       | 51,739    | C-300        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 147        | 238        | 1141       | 1190       |
| 109           | Vuren 22 x 150 mm Sexta                     | FSC MC       | 21,292    | 109          | 0          | 0          | 0          | 0          | 136        | 0          | 252        | 0          | 0          | 0          | 604        | 270        | 0          | 0          | 161        | 126        | 0          | 0          |
| 902           | Vuren 22 x 150 mm Sexta                     | FSC MC       | 11,512    | 902          | 0          | 0          | 0          | 0          | 544        | 319        | 322        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 921           | Vuren 22 x 150 mm Sexta                     | 80PEFC       | 2,831     | 921          | 0          | 0          | 0          | 0          | 0          | 286        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 412           | Schaalboards 22 x 150 mm incl. halvr. Vuren | 100PEFC      | 56,013    | 412          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 641        | 0          | 1          | 1283       | 0          | 1932       | 0          | 0          | 0          | 0          | 0          |
| 505           | Schaalboards 22 x 150 mm incl. halvr. Vuren | 100PEFC      | 7,503     | 505          | 0          | 3          | 7          | 33         | 40         | 10         | 375        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 78         | 0          | 0          |
| 233           | Vuren 22 x 175 mm O/S                       | 80PEFC       | 23,363    | 233          | 0          | 0          | 0          | 0          | 0          | 0          | 258        | 485        | 549        | 0          | 202        | 107        | 0          | 0          | 0          | 0          | 0          | 0          |
| 248           | Vuren 22 x 175 mm O/S                       | 80PEFC       | 45,348    | 248          | 0          | 0          | 0          | 0          | 0          | 0          | 246        | 240        | 508        | 0          | 576        | 288        | 0          | 0          | 864        | 0          | 0          | 0          |
| 673           | Vuren 22 x 200 mm Zaagvallend               | 100PEFC      | 9,878     | 673          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 147        | 0          | 398        | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 487           | Vuren 22 x 225 mm Zaagvallend               | 80PEFC       | 33,562    | 487          | 0          | 0          | 0          | 0          | 0          | 0          | 128        | 388        | 440        | 0          | 168        | 273        | 0          | 0          | 0          | 0          | 230        | 0          |
| 81045 A       | Vuren 22 x 225 mm Zaagvallend               | FSC MC       | 4,633     | 8108         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 240        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 82107         | Vuren 22 x 225 mm Zaagvallend               | FSC MC       | 8,910     | 8206         | 0          | 0          | 0          | 0          | 240        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 240        | 0          | 0          | 0          | 0          | 0          |
| 82129         | Vuren 22 x 225 mm Sexta                     | FSC MC       | 43,303    | 8206         | 0          | 0          | 0          | 0          | 360        | 120        | 0          | 0          | 0          | 0          | 120        | 0          | 0          | 0          | 1080       | 0          | 120        | 120        |
| 421           | Vuren 25 x 100 mm Sexta                     | 100PEFC      | 48,067    | 421          | 0          | 0          | 0          | 0          | 0          | 634        | 1254       | 727        | 418        | 0          | 418        | 339        | 571        | 0          | 572        | 0          | 0          | 0          |
| C-254         | Vuren 25 x 150 mm Zaagvallend I-IV          | FSC100       | 28,335    | C-254        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 769        | 0          | 0          | 0          | 0          | 0          | 0          | 175        | 0          | 602        |
| C-271         | Vuren 25 x 150 mm Zaagvallend I-IV          | FSC100       | 30,839    | C-271        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 854        | 0          | 602        |
| C-295         | Vuren 25 x 150 mm Zaagvallend I-IV          | FSC100       | 14,081    | C-295        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 182        | 0          | 203        | 0          | 0          | 0          | 0          | 406        | 0          | 0          |
| C-206         | Vuren 25 x 150 mm Sexta Inlands             | FSC100       | 8,434     | C-206        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 105        | 0          | 0          | 0          | 329        | 0          | 0          |
| C-260         | Vuren 25 x 150 mm Sexta Inlands             | FSC100       | 10,899    | C-260        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 196        | 0          | 308        |
| C-307         | Vuren 30 x 150 mm Sexta                     | FSC100       | 31,336    | C-307        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 245        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 273        | 742        |



**DSB**  
Houtimport Kuhn B.V.

22-5-2023

| <b>Partij</b> | <b>Omschrijving.</b>                 | <b>Cert.</b> | <b>M3</b> | <b>Reis.</b> | <b>150</b> | <b>180</b> | <b>210</b> | <b>240</b> | <b>270</b> | <b>300</b> | <b>330</b> | <b>360</b> | <b>390</b> | <b>400</b> | <b>420</b> | <b>450</b> | <b>480</b> | <b>500</b> | <b>510</b> | <b>540</b> | <b>570</b> | <b>600</b> |
|---------------|--------------------------------------|--------------|-----------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 81179         | Vuren 38 x 200 mm Zaagvallend        | FSC MC       | 8,618     | 8202         | 0          | 0          | 0          | 0          | 0          | 140        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 140        | 0          | 0          | 0          |
| 81195         | Vuren 38 x 200 mm Sexta              | FSC MC       | 19,631    | 8204         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 140        | 0          | 0          | 0          | 70         | 0          | 140        | 140        |
| 487           | Vuren 38 x 275 mm Sexta              | 80PEFC       | 22,481    | 487          | 0          | 0          | 0          | 0          | 0          | 14         | 13         | 49         | 40         | 0          | 168        | 52         | 48         | 0          | 64         | 44         | 0          | 0          |
| 289           | Vuren 44 x 100 mm Sexta              | 100PEFC      | 34,753    | 289          | 0          | 0          | 0          | 0          | 0          | 0          | 181        | 669        | 0          | 0          | 362        | 303        | 315        | 0          | 0          | 92         | 0          | 0          |
| 586           | Vuren 44 x 150 mm O/S C.free         | FSC MC       | 24,932    | 586          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 112        | 224        | 316        |
| 640           | Vuren 44 x 150 mm O/S C.free         | FSC MC       | 41,792    | 640          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 553        | 530        |
| 641           | Vuren 44 x 150 mm O/S C.free         | FSC MC       | 30,603    | 641          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 224        | 560        |
| C-163         | Vuren 44 x 150 mm Zaagvallend I-IV   | FSC100       | 43,243    | C-163        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 1680       | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 1167          | Vuren 44 x 150 mm Zaagvallend C.free | 90PEFC       | 21,954    | 1167         | 0          | 0          | 0          | 0          | 0          | 154        | 0          | 0          | 0          | 0          | 154        | 154        | 154        | 0          | 154        | 0          | 0          | 0          |
| 169           | Vuren 44 x 150 mm Zaagvallend C.free | 100PEFC      | 22,315    | 169          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 322        | 322        | 0          | 0          |
| 512           | Vuren 44 x 150 mm Zaagvallend C.free | 90PEFC       | 49,771    | 512          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 93         | 0          | 168        | 336        | 141        | 0          | 840        | 0          | 0          | 0          |
| 586           | Vuren 44 x 150 mm Zaagvallend C.free | FSC MC       | 20,719    | 586          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 336        | 204        |
| 81170         | Vuren 44 x 150 mm Zaagvallend C.free | FSC MC       | 128,399   | 8111         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 2352       | 1008       |
| 443           | Vuren 44 x 225 mm O/S C.free         | 100PEFC      | 46,825    | 443          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 124        | 0          | 0          | 124        | 0          | 247        | 0          | 374        | 124        | 0          | 0          |
| 81113         | Vuren 47 x 100 mm Zaagvallend        | FSC MC       | 94,188    | 8112         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 230        | 690        | 0          | 800        | 0          | 230        | 0          | 460        | 460        | 910        | 340        |
| 82106         | Vuren 47 x 100 mm Zaagvallend        | FSC MC       | 42,483    | 8206         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 920        | 230        | 460        |
| 240           | Vuren 47 x 150 mm Zaagvallend        | FSC MC       | 49,508    | 240          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 462        | 0          | 0          | 308        | 462        | 0          | 154        | 154        | 0          | 0          |
| 82048         | Vuren 47 x 150 mm Sexta              | FSC MC       | 29,965    | 8204         | 0          | 0          | 0          | 0          | 0          | 77         | 0          | 0          | 238        | 0          | 637        | 0          | 0          | 0          | 0          | 77         | 0          | 0          |
| 1045          | Vuren 50 x 100 mm Sexta              | 70PEFC       | 6,699     | 1045         | 0          | 0          | 0          | 0          | 0          | 275        | 0          | 143        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 915           | Vuren 50 x 100 mm Sexta              | 70PEFC       | 8,432     | 915          | 0          | 0          | 0          | 6          | 29         | 155        | 212        | 0          | 110        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 82019         | Vuren 50 x 125 mm Zaagvallend        | FSC MC       | 36,120    | 8203         | 0          | 0          | 0          | 80         | 80         | 0          | 0          | 168        | 168        | 0          | 0          | 0          | 0          | 0          | 0          | 584        | 168        | 0          |
| 82087 A       | Vuren 50 x 125 mm Sexta              | FSC MC       | 69,056    | 8206         | 0          | 0          | 0          | 0          | 664        | 80         | 0          | 240        | 80         | 0          | 744        | 0          | 0          | 0          | 662        | 248        | 0          | 0          |
| 485           | Vuren 50 x 150 mm Zaagvallend        | FSC MC       | 50,033    | 485          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 123        | 294        | 0          | 441        | 287        | 140        | 0          | 140        | 0          | 0          | 92         |
| 82102         | Vuren 50 x 150 mm Zaagvallend        | FSC MC       | 8,726     | 8206         | 0          | 0          | 0          | 0          | 0          | 70         | 0          | 0          | 0          | 0          | 147        | 0          | 70         | 0          | 0          | 0          | 0          | 0          |
| 82103         | Vuren 50 x 150 mm Zaagvallend        | FSC MC       | 27,783    | 8207         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 882        | 0          | 0          | 0          | 0          | 0          | 0          | 0          |

**DSB**  
Houtimport Kuhn B.V.

22-5-2023

| <b>Partij</b> | <b>Omschrijving.</b>            | <b>Cert.</b> | <b>M3</b> | <b>Reis.</b> | <b>150</b> | <b>180</b> | <b>210</b> | <b>240</b> | <b>270</b> | <b>300</b> | <b>330</b> | <b>360</b> | <b>390</b> | <b>400</b> | <b>420</b> | <b>450</b> | <b>480</b> | <b>500</b> | <b>510</b> | <b>540</b> | <b>570</b> | <b>600</b> |
|---------------|---------------------------------|--------------|-----------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 81182         | Vuren 50 x 200 mm Zaagvallend   | FSC MC       | 12,930    | 8201         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 105        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 155        | 0          |
| 82017         | Vuren 50 x 200 mm Zaagvallend   | FSC MC       | 24,570    | 8204         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 210        | 210        |
| 82044         | Vuren 50 x 200 mm Sexta         | FSC MC       | 48,885    | 8202         | 0          | 0          | 0          | 0          | 0          | 260        | 0          | 0          | 0          | 0          | 210        | 0          | 0          | 0          | 465        | 50         | 50         | 50         |
| 82122         | Vuren 50 x 200 mm Sexta         | FSC MC       | 38,208    | 8206         | 0          | 0          | 0          | 0          | 155        | 50         | 0          | 50         | 0          | 0          | 154        | 0          | 0          | 0          | 105        | 0          | 0          | 315        |
| 82043         | Vuren 60 x 160 mm Sexta         | FSC MC       | 14,334    | 8204         | 0          | 0          | 0          | 0          | 0          | 63         | 0          | 0          | 63         | 0          | 252        | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 459           | Vuren 63 x 100 mm Sexta         | 100PEFC      | 32,395    | 459          | 0          | 0          | 0          | 0          | 0          | 0          | 121        | 206        | 53         | 0          | 223        | 158        | 373        | 0          | 0          | 66         | 0          | 0          |
| 81205         | Vuren 63 x 125 mm Zaagvallend   | FSC MC       | 43,054    | 8202         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 136        | 544        | 0          | 680        | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 443           | Vuren 63 x 125 mm Sexta         | FSC MC       | 14,489    | 443          | 0          | 0          | 0          | 0          | 0          | 0          | 32         | 68         | 48         | 0          | 117        | 27         | 39         | 0          | 0          | 93         | 0          | 0          |
| 82120         | Vuren 63 x 125 mm Sexta         | FSC MC       | 11,567    | 8206         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 64         | 0          | 0          | 0          | 0          | 0          | 0          | 200        |
| 324           | Vuren 63 x 150 mm Sexta         | 100PEFC      | 16,633    | 324          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 109        | 86         | 0          | 168        | 0          | 0          | 0          |
| 424           | Vuren 63 x 150 mm Sexta         | 100PEFC      | 50,075    | 424          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 126        | 107        | 0          | 233        | 223        | 252        | 0          | 109        | 126        | 0          | 0          |
| 81190         | Vuren 63 x 150 mm Sexta         | FSC MC       | 23,100    | 8203         | 0          | 0          | 56         | 56         | 56         | 0          | 0          | 56         | 0          | 0          | 112        | 0          | 0          | 0          | 0          | 0          | 56         | 175        |
| 82086         | Vuren 63 x 150 mm Sexta         | FSC MC       | 32,685    | 8204         | 0          | 0          | 0          | 0          | 0          | 175        | 0          | 0          | 119        | 0          | 588        | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| 82119         | Vuren 63 x 150 mm Sexta         | FSC MC       | 13,733    | 8207         | 0          | 0          | 0          | 0          | 119        | 0          | 0          | 0          | 56         | 0          | 56         | 0          | 0          | 0          | 0          | 0          | 119        | 0          |
| C-294         | Vuren 63 x 175 mm Sexta         | FSC100       | 4,048     | C-294        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 102        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| C-146         | Vuren 63 x 175 mm Sexta Inlands | FSC100       | 8,593     | C-146        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 132        | 78         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| C-147         | Vuren 63 x 175 mm Sexta Inlands | FSC100       | 8,236     | C-147        | 0          | 0          | 0          | 0          | 0          | 0          | 30         | 180        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          |
| C-239         | Vuren 63 x 175 mm Sexta Inlands | FSC100       | 13,197    | C-239        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 210        | 0          |
| 157           | Vuren 75 x 75 mm Sexta+         | 100PEFC      | 28,838    | 157          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 323        | 210        | 0          | 0          | 0          | 0          | 0          | 209        | 385        | 0          | 0          |
| 250           | Vuren 75 x 100 mm Sexta         | 70PEFC       | 28,958    | 250          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 99         | 0          | 0          | 495        | 0          | 297        | 0          | 0          | 0          | 0          | 0          |
| 302           | Vuren 75 x 100 mm Sexta         | 70PEFC       | 7,128     | 302          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 198        | 0          | 0          | 0          | 0          | 0          | 0          |
| 419           | Vuren 75 x 100 mm Sexta         | 70PEFC       | 39,004    | 419          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 198        | 0          | 0          | 495        | 0          | 471        | 0          | 29         | 0          | 0          | 0          |
| 304           | Vuren 75 x 100 mm Sexta+        | 100PEFC      | 55,305    | 304          | 0          | 0          | 0          | 0          | 0          | 322        | 0          | 326        | 248        | 0          | 278        | 0          | 0          | 0          | 0          | 321        | 66         | 165        |
| 101           | Vuren 75 x 125 mm O/S C.free    | 100PEFC      | 18,523    | 101          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 120        | 0          | 0          | 239        | 120        | 0          | 0          | 0          | 0          | 0          | 0          |
| 70            | Vuren 75 x 125 mm O/S C.free    | 80PEFC       | 5,760     | 70           | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 80         | 0          | 72         | 0          | 0          | 0          | 0          | 0          | 0          | 0          |

**DSB**  
Houtimport Kuhn B.V.

22-5-2023

| <b>Partij</b> | <b>Omschrijving.</b>                       | <b>Cert.</b> | <b>M3</b> | <b>Reis.</b> | <b>150</b> | <b>180</b> | <b>210</b> | <b>240</b> | <b>270</b> | <b>300</b> | <b>330</b> | <b>360</b> | <b>390</b> | <b>400</b> | <b>420</b> | <b>450</b> | <b>480</b> | <b>500</b> | <b>510</b> | <b>540</b> | <b>570</b> | <b>600</b> |
|---------------|--|--------------|-----------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 1122          | Vuren 75 x 150 mm Zaagvallend              | FSC MC       | 12,758    | 1122         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 189        |
| 1137          | Vuren 75 x 150 mm Zaagvallend              | FSC MC       | 20,689    | 1137         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 70         | 240        |
| 012           | Vuren 75 x 150 mm Sexta                    | 80PEFC       | 31,226    | 012          | 0          | 0          | 0          | 0          | 0          | 0          | 45         | 55         | 59         | 0          | 45         | 98         | 98         | 0          | 64         | 143        | 0          | 0          |
| 210           | Vuren 75 x 150 mm Sexta                    | 100PEFC      | 47,922    | 210          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 210        | 94         | 210        | 0          | 315        | 63         | 0          | 0          |
| 1195          | Vuren 75 x 175 mm Zaagvallend              | FSC MC       | 4,961     | 1195         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 84         | 0          | 0          | 0          | 0          | 0          | 0          |
| 858           | Vuren 75 x 175 mm Zaagvallend              | FSC MC       | 10,915    | 858          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 84         | 0          | 84         | 0          | 0          | 0          |
| 81189         | Vuren 75 x 200 mm Sexta                    | FSC MC       | 9,608     | 8206         | 0          | 0          | 0          | 0          | 0          | 35         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 105        | 0          | 0          | 0          |
| C-226         | Vuren 75 x 200 mm Sexta                    | FSC100       | 6,165     | C-226        | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 35         | 0          | 0          | 45         | 0          | 0          |
| 015           | Vuren 100 x 100 mm O/S C.free              | FSC CW       | 51,105    | 015          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 110        | 110        | 0          | 330        | 110        | 106        | 0          | 327        | 0          | 0          | 38         |
| 894           | Vuren 100 x 100 mm O/S C.free              | 80PEFC       | 21,030    | 894          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 80         | 0          | 180        | 230        | 0          | 0          | 0          | 0          | 0          | 0          |
| 370           | Vuren 100 x 100 mm Sexta+                  | 100PEFC      | 40,836    | 370          | 0          | 0          | 0          | 0          | 0          | 110        | 110        | 220        | 74         | 0          | 0          | 0          | 110        | 0          | 0          | 330        | 0          | 0          |
| 408           | Vuren 100 x 100 mm Sexta+                  | 100PEFC      | 47,190    | 408          | 0          | 0          | 0          | 0          | 0          | 110        | 110        | 330        | 0          | 0          | 0          | 0          | 110        | 0          | 220        | 220        | 0          | 0          |
| 372           | Grenen 100 x 100 mm Sexta Inlands          | 90PEFC       | 35,937    | 372          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 121        | 121        | 0          | 484        | 0          | 0          | 0          |
| 415           | Vuren 100 x 100 mm ME Verpakkingshout K.D. | 100PEFC      | 50,650    | 415          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 461        | 0          | 0          | 0          | 460        |
| 531           | Vuren 100 x 125 mm O/S C.free              | 80PEFC       | 41,790    | 531          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 128        | 176        | 0          | 248        | 88         | 32         | 0          |
| 592           | Vuren 100 x 125 mm O/S C.free              | 80PEFC       | 49,125    | 592          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 72         | 0          | 702        | 56         | 0          | 0          | 88         | 0          | 0          | 0          |
| 362           | Vuren 100 x 200 mm Zaagvallend             | 100PEFC      | 43,428    | 362          | 0          | 0          | 0          | 0          | 0          | 0          | 164        | 115        | 55         | 0          | 55         | 55         | 109        | 0          | 0          | 0          | 0          | 0          |
| 413           | Vuren 100 x 200 mm Zaagvallend             | FSC MC       | 9,570     | 413          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 55         | 55         | 0          | 0          | 0          | 0          | 0          | 0          |
| 1062          | Vuren 100 x 200 mm Sexta                   | 100PEFC      | 10,560    | 1062         | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 110        | 0          | 0          | 0          | 0          | 0          |
| 468           | Vuren 100 x 200 mm Sexta                   | 100PEFC      | 48,648    | 468          | 0          | 0          | 0          | 0          | 0          | 0          | 0          | 109        | 0          | 0          | 55         | 55         | 205        | 0          | 55         | 55         | 0          | 0          |